

In re Application of:

Ivan TOMKA et al.

Group Art Unit 1772

Serial No. 09/606,219

Examiner: P. Nordmeyer

Filing Date: June 29, 2000

For: **A METHOD FOR MANUFACTURING A SHAPE BODY CONTAINING A STARCH, A HOMOGENISED MASS CONTAINING STARCH AND A DEVICE3 FOR MANUFACTURING A SOFT CAPSULE**

ATTACHMENT B - CLEAN COPY OF AMENDED CLAIMS

Please amend claims 12, 15, 16, 18, 19, 20 and 21 as follows:

Sub
A/C
Sub D
12. (Amended) A homogenised starch-containing mass, containing preferably at least 45% by weight of an amorphous starch with an amylopectine content of greater or equal to 50% by weight with respect to the weight of the starch in water-free condition, water, at least one organic softener in at least 12% by weight with respect to the weight of the water-free starch, wherein the limiting viscosity index of the homogenised mass is at least 40 ml/g.

A2
15. (Amended) A homogenised mass according to claim 13, wherein the mass contains glycerine monostearate and lecithin in a weight ratio of 1:1.5.

16. (Amended) A homogenised mass according to claim 12, wherein the mass additionally contains an aggregate in a weight range of 3.5% by weight to 15% by weight with respect to the

total weight of the mass, wherein the aggregate is selected from the group consisting of carbonates and/or hydrogen carbonates of alkali and/or earth alkali ions, preferably calcium carbonate, amylases, further decomposing agents, colourings, preservatives, anti-oxidants, physically and/or chemically modified biopolymers and vegetable polypeptides.

18. (Amended) A shape body, in particular soft capsule casing, according to claim 17, wherein the shape body has an elongation at rupture of at least 100% at 25°C and 60% relative humidity.

19. (Amended) A shape body, in particular soft capsule casing according to claim 17, wherein the shape body at 25°C and 60% relative air humidity has a strength, σ_m , of at least 2 MPa.

20. (Amended) A shape body according to claim 17, wherein the shape body is a soft capsule and that the capsule casing comprises a thickness in the region between 0.1 and 0.2 mm.

21. (Amended) A shape body, in particular soft capsule casing, according to claim 17, wherein the shape body consists of a multi-layered film and that at least two of the layers have a different chemical composition.

[Please add the following newly submitted claims:]

23. (New) A homogenised starch-containing mass according to claim 12 wherein the limiting viscosity index of the homogenised mass is at least 50 ml/g.

24. (New) A homogenised starch-containing mass according to claim 12 wherein the limiting viscosity index of the homogenised mass is at least 60 ml/g.

Sub
C
25. (New) A homogenised mass according to claim 15, wherein the mass contains glycerine monostearate and lecithin in a weight ratio of 1:1.2.

26. (New) A homogenised mass according to claim 15, wherein the mass contains glycerine monostearate and lecithin in a weight ratio of 1:1.

27. (New) A homogenised mass according to claim 16, wherein the mass additionally contains an aggregate in a weight range of 5% by weight to 8% by weight.

28. (New) A shape body, in particular soft capsule casing, according to claim 18, wherein the shape body has an elongation at rupture of at least 160% at 25°C and 60% relative humidity.

29. (New) A shape body, in particular soft capsule casing, according to claim 18, wherein the shape body has an elongation at rupture of at least 240% at 25°C and 60% relative humidity.

30. (New) A shape body, in particular soft capsule casing according to claim 19, wherein the shape body at 25°C and 60% relative air humidity has a strength, σ_m , in the range of 3.5 MPa to 8 Mpa.

31. (New) A shape body, in particular soft capsule casing according to claim 19, wherein the shape body at 25°C and 60%

relative air humidity has a strength, σ_m , in the range of 4 MPa to 6.5 Mpa.

32. (New) A shape body according to claim 20, wherein the shape body is a soft capsule and that the capsule casing comprises a thickness in the region between 0.2 and 0.6 mm.